

Department of
SOCIAL SERVICES

Community Care Licensing

FACILITY EVALUATION REPORT

Facility Number: 107209035
Report Date: 04/28/2026
Date Signed: 04/28/2026 11:45:38 AM

Document Has Been Signed on 04/28/2026 11:45 AM - It Cannot Be Edited

STATE OF CALIFORNIA - HEALTH AND HUMAN SERVICES AGENCY		CALIFORNIA DEPARTMENT OF SOCIAL SERVICES COMMUNITY CARE LICENSING DIVISION FRESNO RO, 1314 E SHAW AVE FRESNO, CA 93710	
FACILITY EVALUATION REPORT			
FACILITY NAME: SADDLE RIDGE SENIOR LIVING		FACILITY NUMBER:	107209035
ADMINISTRATOR/AYALA-MONTELONGO BRANDON		FACILITY TYPE:	740
DIRECTOR:			
ADDRESS:	675 W ALLUVIAL AVENUE	TELEPHONE:	(559) 325-8400
CITY:	CLOVIS	STATE: CA	ZIP CODE: 93611
CAPACITY: 148		CENSUS: 108	DATE: 04/28/2026
TYPE OF VISIT:	Case Management - Other	UNANNOUNCED TIME VISIT/ INSPECTION	08:30 AM
MET WITH: Administrator: Brandon Montelongo-Ayala		BEGAN: TIME VISIT/ INSPECTION	12:30 PM
		COMPLETED:	

NARRATIVE	
1	On 4/28/26, Licensing Program Analyst (LPA) J. Leffall conducted an announced Pre-Licensing /
2	
3	
4	
5	
6	The facility is a multi-small apartment facility that contains rooms for Assisted Living, Memory Care, Independent Living and fire clearance was granted for capacity of 148 residents.
7	
8	
9	LPA and toured the facility with Administrator. Common areas were furnished and had adequate seating and lighting available. Bedrooms had the required furnishings and are ready for occupancy. Hot water ranged from 116.7 to 118.9 degrees F in Memory Care, and 116.6 to 119.4 degrees F in Assisted Living. LPA and observed toilet area to have grab bars. Showers contained nonskid mats, non-skid floors, or non-skid strips. LPA and observed bed linens, and extra bed linens. LPA and observed hallway to have night lights. Apartments have an adequate supply of personal hygiene products. Kitchen was toured and observed to have clean dishes, plates, and utensils. Refrigerator temperature measured at 35 degrees F. Freezer temperature measured at -8 degrees F. Cleaning supplies and chemicals were observed in a locked in storage room. Medications are locked and secured in med-tech rooms both in Assisted Living and Memory Care. First aid kit was observed and contained all required items. A fire extinguisher was observed and has a service date of 10/10/25. Smoke detectors, carbon monoxide and fire sprinklers were observed operational per quarterly and annual reports from inspections courtesy of the State of California Fire Marshall provided to LPA.
10	
11	
12	
13	
14	
15	
16	
17	
18	
19	
20	
21	
22	
23	Outside of facility toured. Exits were open and free of obstructions.
24	
25	I have found that the applicants has met all pre-licensing requirements. LPA will submit documentation to CAB in Sacramento for final review prior to license being issued.

Exit Interview conducted. A copy of this report was provided to Administrator, whose signature on this form confirms receipt of this report.

NAME OF LICENSING PROGRAM MANAGER: See Moua
NAME OF LICENSING PROGRAM ANALYST: Jacques Leffall
LICENSING PROGRAM ANALYST SIGNATURE:



DATE: 04/28/2026

I acknowledge receipt of this form and understand my licensing appeal rights as explained and received.

FACILITY REPRESENTATIVE SIGNATURE:



DATE: 04/28/2026

This report must be available at Child Care and Group Home facilities for public review for 3 years.

LIC809 (FAS) - (06/04)
California Health & Human Services Agency

Page: 1 of 2
California Department of Social Services

FACILITY EVALUATION REPORT California law requires a public report of each licensing visit/inspection. This report is a record for the facility and the licensing agency. This report is available for public review; therefore, care is taken not to disclose personal or confidential information. Inquiries concerning the location, maintenance, and contents of these reports may be directed to the Licensing Program Analyst or Regional Office whose address and telephone number are listed on the front of this form.

DEFICIENCIES A deficiency is an instance of noncompliance with licensing requirements, including applicable statutes, regulations, interim licensing standards, operating standards, and written directives. Applicants/ licensees must be notified in writing of all licensing deficiencies. Deficiencies are listed on the left side of this form, and the applicable licensing requirement upon which the deficiency is identified. There are two types of deficiencies:

- Type A deficiencies are violations of licensing requirements that, if not corrected, have a direct and immediate risk to the health, safety, or personal rights of persons in care.
- Type B deficiencies are violations of licensing requirements that, without correction, could become a risk to the health, safety, or personal rights of persons in care, a recordkeeping violation that could impact the care of said persons and/or protection of their resources, or a violation that could impact those services required to meet the needs of persons in care.

PLANS OF CORRECTION (POCs) The licensing agency is required to establish a reasonable length of time to correct a deficiency. In order to set the time, the licensing agency must take into consideration the seriousness of the violation, the number of persons in care involved, and the availability of equipment and personnel necessary to correct the violation. Applicants/licensees are requested to provide a specific plan for each violation on the right side of the form across from each deficiency. The more specific the plan, the less chance exists for any misunderstanding in setting time limits and reviewing corrections. The applicant/licensee who encounters problems beyond their control in completing the corrections within the specified time frame may request and may be granted an extension of the correction due date by the licensing agency.

CORRECTION NOTIFICATION The applicant/licensee is responsible for completing all corrections and promptly notifying the licensing agency of corrections. Applicants/licensees are advised to keep a dated copy of any correspondence sent to the licensing agency concerning corrections, or if corrections are telephoned to the licensing agency, the date, person contacted, and information given.

CIVIL PENALTIES The licensing agency is required by law to issue a Penalty Notice, when applicable, to all facilities holding a license issued by the licensing agency, or subject to licensure, except Certified Family Homes, Resource Families, and Foster Family Homes, or any governmental entity.

PENALTY NOTICE GIVEN The statement concerning civil penalties serves as a penalty notice on this Licensing Report and failure to correct cited licensing deficiencies will result in civil penalties. Applicants/ licensees are required to pay civil penalties when administrative appeals have been exhausted and in accordance with any payment arrangements made with the licensing agency.

APPEAL RIGHTS The applicant/licensee has a right without prejudice to discuss any disagreement in this report with the licensing agency concerning the proper application of licensing requirements. The applicant/

licensee may request a formal review by the licensing agency to amend or dismiss the notice of deficiency and/ or civil penalty. Requests for review shall be made in writing within 15 business days of receipt of a deficiency notification or civil penalty assessment. Licensing deficiencies may be appealed pursuant to the procedures in the LIC 9058 Applicant/Licensee Rights.

AGENCY REVIEW The licensing agency review of an appeal may be conducted based upon information provided in writing by the applicant/licensee. The applicant/licensee may request an office meeting to provide additional information. The applicant/licensee will be notified in writing of the results of the agency review within 60 business days of the date when all necessary information has been provided to the licensing agency.

EMAIL REQUIREMENT Adult Community Care Facilities, Residential Care Facilities for the Chronically Ill, and Residential Care Facilities for the Elderly are required to provide and maintain an active email address of record with the licensing agency.