

State Form: Revisit Report

(Y1) Provider / Supplier / CLIA / Identification Number N023021	(Y2) Multiple Construction A. Building B. Wing	(Y3) Date of Revisit 7/23/2015
Name of Facility NEUVANT HOUSE OF LAWRENCE EAST	Street Address, City, State, Zip Code 1216 B BILTMORE DR LAWRENCE, KS 66049	

This report is completed by a State surveyor to show those deficiencies previously reported that have been corrected and the date such corrective action was accomplished. Each deficiency should be fully identified using either the regulation or LSC provision number and the identification prefix code previously shown on the State Survey Report (prefix codes shown to the left of each requirement on the survey report form).

(Y4) Item	(Y5) Date	(Y4) Item	(Y5) Date	(Y4) Item	(Y5) Date
ID Prefix <u>S3160</u> Reg. # <u>26-41-204 (c)</u> LSC _____	Correction Completed 07/23/2015	ID Prefix <u>S3201</u> Reg. # <u>26-41-205 (d) (3)</u> LSC _____	Correction Completed 07/23/2015	ID Prefix <u>S3202</u> Reg. # <u>26-41-205 (d) (4)</u> LSC _____	Correction Completed 07/23/2015
ID Prefix <u>S3265</u> Reg. # <u>26-41-104 (a)</u> LSC _____	Correction Completed 07/23/2015	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed
ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed
ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed
ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed	ID Prefix _____ Reg. # _____ LSC _____	Correction Completed

Reviewed By _____	Reviewed By _____	Date: _____	Signature of Surveyor: _____	Date: _____
State Agency				
Reviewed By _____	Reviewed By _____	Date: _____	Signature of Surveyor: _____	Date: _____
CMS RO				

Followup to Survey Completed on:
7/7/2015

Check for any Uncorrected Deficiencies. Was a Summary of Uncorrected Deficiencies (CMS-2567) Sent to the Facility? **YES NO**