

State Form: Revisit Report

(Y1) Provider / Supplier / CLIA / Identification Number N089041	(Y2) Multiple Construction A. Building B. Wing	(Y3) Date of Revisit 7/6/2015
Name of Facility LEXINGTON PARK ASSISTED LIVING	Street Address, City, State, Zip Code 1021 SW FLEMING COURT TOPEKA, KS 66604	

This report is completed by a State surveyor to show those deficiencies previously reported that have been corrected and the date such corrective action was accomplished. Each deficiency should be fully identified using either the regulation or LSC provision number and the identification prefix code previously shown on the State Survey Report (prefix codes shown to the left of each requirement on the survey report form).

(Y4) Item	(Y5) Date	(Y4) Item	(Y5) Date	(Y4) Item	(Y5) Date
ID Prefix S3215	Correction Completed 07/06/2015	ID Prefix _____	Correction Completed	ID Prefix _____	Correction Completed
Reg. # 26-41-205 (h)		Reg. # _____		Reg. # _____	
LSC _____		LSC _____		LSC _____	
ID Prefix _____	Correction Completed	ID Prefix _____	Correction Completed	ID Prefix _____	Correction Completed
Reg. # _____		Reg. # _____		Reg. # _____	
LSC _____		LSC _____		LSC _____	
ID Prefix _____	Correction Completed	ID Prefix _____	Correction Completed	ID Prefix _____	Correction Completed
Reg. # _____		Reg. # _____		Reg. # _____	
LSC _____		LSC _____		LSC _____	
ID Prefix _____	Correction Completed	ID Prefix _____	Correction Completed	ID Prefix _____	Correction Completed
Reg. # _____		Reg. # _____		Reg. # _____	
LSC _____		LSC _____		LSC _____	
ID Prefix _____	Correction Completed	ID Prefix _____	Correction Completed	ID Prefix _____	Correction Completed
Reg. # _____		Reg. # _____		Reg. # _____	
LSC _____		LSC _____		LSC _____	

Reviewed By _____	Reviewed By _____	Date: _____	Signature of Surveyor: _____	Date: _____
State Agency _____				
Reviewed By _____	Reviewed By _____	Date: _____	Signature of Surveyor: _____	Date: _____
CMS RO _____				

Followup to Survey Completed on: 6/9/2015	Check for any Uncorrected Deficiencies. Was a Summary of Uncorrected Deficiencies (CMS-2567) Sent to the Facility? <table style="float: right; margin-left: 20px;"> <tr> <td>YES</td> <td>NO</td> </tr> </table>	YES	NO
YES	NO		