

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTIONS		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 185317		(X2) MULTIPLE CONSTRUCTION A. BUILDING B. WING		(X3) DATE SURVEY COMPLETED 07/17/2025	
NAME OF PROVIDER OR SUPPLIER Greenville Nursing and Rehabilitation				STREET ADDRESS, CITY, STATE, ZIP CODE 521 Greene Drive , Greenville, Kentucky, 42345			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)			(X5) COMPLETION DATE	
F0000	<p>INITIAL COMMENTS</p> <p>A Recertification Survey was initiated on 07/15/2025. The survey was concluded on 07/17/2025, with no deficiencies cited.</p> <p>The facility was found to be in compliance with 42 CFR 483.5 - 483.75 - Subpart B - Requirements for Long Term Care Facilities.</p> <p>Total census 59.</p>	F0000					

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See reverse for further instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE	TITLE	(X6) DATE
--	--------------	------------------