

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 205072	(X2) MULTIPLE CONSTRUCTION A. Building B. Wing	(X3) DATE SURVEY COMPLETED 12/19/2024
NAME OF PROVIDER OR SUPPLIER Marshwood Center		STREET ADDRESS, CITY, STATE, ZIP CODE 33 Roger Street Lewiston, ME 04240	

For information on the nursing home's plan to correct this deficiency, please contact the nursing home or the state survey agency.

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (Each deficiency must be preceded by full regulatory or LSC identifying information)
<p>F 0558</p> <p>Level of Harm - Minimal harm or potential for actual harm</p> <p>Residents Affected - Few</p>	<p>Reasonably accommodate the needs and preferences of each resident.</p> <p>**NOTE- TERMS IN BRACKETS HAVE BEEN EDITED TO PROTECT CONFIDENTIALITY** Based on interviews, observations and record reviews, the facility failed to meet the reasonable needs of residents in the areas of beverage choices and bed size for 2 out of 16 residents screened for accommodation of needs (Resident #42 and Resident #356)</p> <p>Findings:</p> <p>1. On 12/17/24 at 1:30 p.m., during a resident council meeting, Resident #42 complained that she cannot get Ginger Ale to drink unless the nurse calls the Kitchen and says that the resident is sick.</p> <p>On 12/18/24 at 11:50 a.m., a surveyor asked the staff on [NAME] Unit if they had ever been told that the residents could not have Ginger Ale unless the resident was ill? Medication Technician (MT) #1 and Certified Nursing Assistant (CNA) #1 stated that they have both been told that. When we call to the Kitchen and ask, we have been told that residents cannot get Ginger Ale unless they are sick.</p> <p>On 12/18/24 11:45 a.m., a surveyor asked the Food Service Director if the residents can get Ginger Ale. He stated that if their diet allows them, they can have Ginger Ale.</p> <p>On 11/18/24 at 12:45 p.m., In an interview with Food Service Director and Director of Operations of Health Care Services the finding of lack of Ginger Ale being provided to the residents was confirmed with them.</p> <p>2. On 12/16/24 at 10:00 a.m., a surveyor met with Resident #356 in their room. Resident #356 was admitted on [DATE] with a new Right Below the Knee amputation. Resident #356 stated that she/he fell out of bed the other day reaching for the call bell and hurt their left knee. Stated that the bed was too small and it was difficult to move around in the bed. The resident is 6 feet 2 inches. The surveyor observed that Resident #356's upper torso fills the width of the bed and with the head of the bed elevated their leg cannot be straightened. Resident #356 stated she/he had spoken with staff about the size of the bed.</p> <p>Record review of Resident #356's electronic medical record (EMR) revealed a fall out of bed on 12/11/24 due to reaching for the call bell. No mention was made regarding the size of the bed. An x-ray was obtained for left knee pain following the fall.</p> <p>On 12/17/24 at 12:40 p.m. a surveyor met with Resident #356 in their room and was told that they almost fell out of bed again this morning but managed to catch themselves on the overbed table.</p> <p>On 12/17/24 at 1:13 p.m a surveyor met with RN#1 regarding the size of Resident #356's bed. RN#1</p> <p>(continued on next page)</p>

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE	TITLE	(X6) DATE
---	-------	-----------

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 205072	(X2) MULTIPLE CONSTRUCTION A. Building B. Wing	(X3) DATE SURVEY COMPLETED 12/19/2024
NAME OF PROVIDER OR SUPPLIER Marshwood Center		STREET ADDRESS, CITY, STATE, ZIP CODE 33 Roger Street Lewiston, ME 04240	

For information on the nursing home's plan to correct this deficiency, please contact the nursing home or the state survey agency.

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (Each deficiency must be preceded by full regulatory or LSC identifying information)
<p>F 0558</p> <p>Level of Harm - Minimal harm or potential for actual harm</p> <p>Residents Affected - Few</p>	<p>stated they were unaware of any issues with the bed.</p> <p>On 12/17/24 at 1:30 p.m., a surveyor met with the Director of Nursing and was told that they were unaware the bed for Resident #356 was an issue. Stated that anyone can request a larger bed for a resident. Confirmed that a bed assessment was completed upon admission with no issues noted.</p>

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 205072	(X2) MULTIPLE CONSTRUCTION A. Building B. Wing	(X3) DATE SURVEY COMPLETED 12/19/2024
NAME OF PROVIDER OR SUPPLIER Marshwood Center		STREET ADDRESS, CITY, STATE, ZIP CODE 33 Roger Street Lewiston, ME 04240	
For information on the nursing home's plan to correct this deficiency, please contact the nursing home or the state survey agency.			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (Each deficiency must be preceded by full regulatory or LSC identifying information)		
<p>F 0578</p> <p>Level of Harm - Minimal harm or potential for actual harm</p> <p>Residents Affected - Some</p>	<p>Honor the resident's right to request, refuse, and/or discontinue treatment, to participate in or refuse to participate in experimental research, and to formulate an advance directive.</p> <p>**NOTE- TERMS IN BRACKETS HAVE BEEN EDITED TO PROTECT CONFIDENTIALITY** Based on record reviews and interview, the facility failed to ensure that the resident and/or resident representative written information, concerning the right to accept or refuse medical or surgical treatment and/or formulate and advanced directive, was completed for 4 of 10 residents reviewed for advanced directives. (Residents #70, #90, #306, and #405)</p> <p>Findings:</p> <ol style="list-style-type: none"> 1. Resident #70 was admitted to the facility on [DATE]. Review of Resident #70's clinical record lacked evidence that the facility provided/obtained resident and/or resident representative written information concerning the right to accept or refuse medical or surgical treatment and/or formulate an advance directive. 2. Resident #90 was admitted to the facility on [DATE]. Review of Resident #90 's clinical record lacked evidence that the facility provided/obtained resident and/or resident representative written information concerning the right to accept or refuse medical or surgical treatment and/or formulate an advance directive. <p>On 12/17/24 at 3:25 p.m., in an interview, the Licensed Social Worker confirmed the Resident's clinical records did not include evidence that the residents and/or representatives were asked or offered and refused assistance filling out an advanced directive.</p> <ol style="list-style-type: none"> 3. Resident #306 was admitted to the facility on [DATE]. Review of Resident #306's clinical record lacked evidence that the facility provided/obtained resident and/or resident representative written information concerning the right to accept or refuse medical or surgical treatment and/or formulate an advance directive. <p>On 12/17/24 at 3:25p.m. The social worker stated that this resident did not have advance directive paperwork given to her because she was out on leave, and it was not done.</p> <ol style="list-style-type: none"> 4. Resident #405 was admitted to the facility on [DATE]. Review of Resident #405 clinical record lacked evidence of an advance directive being offered or completed. 		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 205072	(X2) MULTIPLE CONSTRUCTION A. Building B. Wing	(X3) DATE SURVEY COMPLETED 12/19/2024
NAME OF PROVIDER OR SUPPLIER Marshwood Center		STREET ADDRESS, CITY, STATE, ZIP CODE 33 Roger Street Lewiston, ME 04240	
For information on the nursing home's plan to correct this deficiency, please contact the nursing home or the state survey agency.			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (Each deficiency must be preceded by full regulatory or LSC identifying information)		
<p>F 0584</p> <p>Level of Harm - Minimal harm or potential for actual harm</p> <p>Residents Affected - Some</p>	<p>Honor the resident's right to a safe, clean, comfortable and homelike environment, including but not limited to receiving treatment and supports for daily living safely.</p> <p>**NOTE- TERMS IN BRACKETS HAVE BEEN EDITED TO PROTECT CONFIDENTIALITY** Based on observations and interview, the facility failed to adequately provide housekeeping and maintenance services necessary to maintain the building in a sanitary, orderly, and comfortable environment on 7 of 7 units ([NAME], [NAME], [NAME], [NAME], [NAME], [NAME] and [NAME]) and the Activity Room for 1 of 1 facility tour.</p> <p>Findings:</p> <p>On 12/19/24 from 8:05 a.m. to 8:40 a.m., 2 surveyors conducted an Environmental Tour with the Maintenance Director, the Director of Nursing and the Administrator in which the following findings were observed:</p> <p>[NAME] Unit(100s) - Resident room [ROOM NUMBER] - The privacy curtain was missing hooks and hanging down and in disrepair. The room heating unit had a cracked/broken top plastic grill with rough edges. The bathrooms walls were marred/marked with black marks. - Resident room [ROOM NUMBER] - The bathroom floor was heavily soiled with dirt. - Resident room [ROOM NUMBER] - The caulking around the base of the toilet was dirty. The privacy curtain was missing hooks and hanging down and in disrepair. - Resident room [ROOM NUMBER] - The ceiling is dirty and has holes in it where a curtain track used to be.</p> <p>[NAME] Unit (200s) - The linen closet had linen and trash/debris on the floor. - Resident room [ROOM NUMBER] - The privacy curtain was missing hooks and hanging down and in disrepair. - Resident room [ROOM NUMBER] - The walker had white nursing tape on the cross brace holding an arm rest attachment secure. - Resident room [ROOM NUMBER] - The privacy curtain was missing hooks and hanging down and in disrepair.</p> <p>[NAME] Unit(300s) - Resident room [ROOM NUMBER] - The closet had a ceiling tile missing. - Resident room [ROOM NUMBER] - There was a bed pan and a urinal stored behind the toilet with the bed pan tucked in between toilet and wall. There were fruit flies observed in the room.</p> <p>Activity Room- The activity room doors had chipped/missing paint and black marks on them.</p> <p>[NAME] Unit(500s) - The linen closet had linen and trash/debris on the floor. - Resident room [ROOM NUMBER] - There was a dried brown substance next to the head of the bed #1.</p> <p>- Resident room [ROOM NUMBER] - The privacy curtain was missing hooks and hanging down and in disrepair. - Resident room [ROOM NUMBER] - There was a large amount of a dried pink substances on the floor to the left of bed #1. - Resident room [ROOM NUMBER] - The bathroom had a broken ceiling tile sitting on the back of the toilet. The caulking around the base of the toilet was dirty. The bathroom floor tiles, around the toilet, have a light brownish substance coming up between the seams and the floor is dirty. The sink is dirty. The room walls had chipped/missing paint exposing sheetrock. - Resident room [ROOM NUMBER] - The wall thermostat was missing the cover exposing the wires. The sit-to-stand patient lift, in the hallway, had food and debris in the foot base area and dried liquid residue on the back of the kneepads.</p> <p>[NAME] Unit(600s) - The linen closet had linen and trash/debris on the floor. - The dining room</p> <p>(continued on next page)</p>		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 205072	(X2) MULTIPLE CONSTRUCTION A. Building B. Wing	(X3) DATE SURVEY COMPLETED 12/19/2024
NAME OF PROVIDER OR SUPPLIER Marshwood Center		STREET ADDRESS, CITY, STATE, ZIP CODE 33 Roger Street Lewiston, ME 04240	

For information on the nursing home's plan to correct this deficiency, please contact the nursing home or the state survey agency.

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (Each deficiency must be preceded by full regulatory or LSC identifying information)
<p>F 0584</p> <p>Level of Harm - Minimal harm or potential for actual harm</p> <p>Residents Affected - Some</p>	<p>window is fogged and hard to see out. - The table fan on the windowsill was dusty/dirty.</p> <p>[NAME] Unit (700s) - The linen closet had linen and trash/debris on the floor. - Resident room [ROOM NUMBER] - The room had a very strong odor of urine that extended down the hall past two other rooms even with the room door closed. - Resident room [ROOM NUMBER] - The ceiling, directly next to the room air vent, was soiled with dust/dirt.</p> <p>[NAME](800s) - Two ceiling tiles around the dining room ceiling air conditioning unit were dusty/dirty. - The storage room had linen and trash/debris on the floor. - The shower room walls had caulking, in the grout areas between the tiles, around the base of the room that had a black substance on it. - Resident room [ROOM NUMBER] - The privacy curtain was missing hooks and hanging down and in disrepair. - Resident room [ROOM NUMBER] - The privacy curtain was missing hooks and hanging down and in disrepair. The bathroom ceiling light had debris in it.</p> <p>On 12/19/24 at 8:40 a.m., in an interview, the Maintenance Director, the Director of Nursing and the Administrator confirmed the findings.</p>

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 205072	(X2) MULTIPLE CONSTRUCTION A. Building B. Wing	(X3) DATE SURVEY COMPLETED 12/19/2024
NAME OF PROVIDER OR SUPPLIER Marshwood Center		STREET ADDRESS, CITY, STATE, ZIP CODE 33 Roger Street Lewiston, ME 04240	
For information on the nursing home's plan to correct this deficiency, please contact the nursing home or the state survey agency.			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (Each deficiency must be preceded by full regulatory or LSC identifying information)		
<p>F 0645</p> <p>Level of Harm - Minimal harm or potential for actual harm</p> <p>Residents Affected - Few</p>	<p>PASARR screening for Mental disorders or Intellectual Disabilities</p> <p>**NOTE- TERMS IN BRACKETS HAVE BEEN EDITED TO PROTECT CONFIDENTIALITY** Based on record review and interview, the facility failed to ensure that 1 of 2 residents reviewed with a specialized mental health diagnosis, whose stay went beyond the expected 30 days, had been referred to the appropriate state-designated authority for Pre-admission Screening & Resident Review Level II (PASRR) evaluation and determination (Residents #91).</p> <p>Finding:</p> <p>Resident #91 was admitted to the facility on [DATE] with diagnosis of Major Depressive Disorder and Suicidal Ideations. Resident #91's clinical record contained a PASRR Level I determination letter dated 8/27/24 that stated further PASRR evaluation was not required due to a Time Limited Waiver of 30 days. Resident #91 had a suspected or confirmed PASRR Condition: Mental Health Disability. Resident #91 was not discharged after a short stay and was assessed to be Nursing Facility level of care and continued to reside in the facility. The clinical record lacked evidence to indicate that the PASRR Level I was forwarded again to the State Mental Health Authority to determine if a PASRR Level II evaluation and determination was needed after the Residents stay changed from short-term to long-term.</p> <p>On 12/17/24 at 2:15 p.m., in an interview, the Licensed Social Worker confirmed that Resident #91 has been at the facility for longer than 30 days and the facility did not submit a new PASRR Level I to the State Mental Health Authority to determine if a PASRR Level II evaluation and determination was needed.</p>		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 205072	(X2) MULTIPLE CONSTRUCTION A. Building B. Wing	(X3) DATE SURVEY COMPLETED 12/19/2024
NAME OF PROVIDER OR SUPPLIER Marshwood Center		STREET ADDRESS, CITY, STATE, ZIP CODE 33 Roger Street Lewiston, ME 04240	
For information on the nursing home's plan to correct this deficiency, please contact the nursing home or the state survey agency.			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (Each deficiency must be preceded by full regulatory or LSC identifying information)		
<p>F 0685</p> <p>Level of Harm - Minimal harm or potential for actual harm</p> <p>Residents Affected - Few</p>	<p>Assist a resident in gaining access to vision and hearing services.</p> <p>**NOTE- TERMS IN BRACKETS HAVE BEEN EDITED TO PROTECT CONFIDENTIALITY** Based on facility policy, interviews, and record review the facility failed to complete an personal property list, identify, and assist resident to get new eye glasses when they were lost for 1 of 41 resident reviewed during survey.</p> <p>Findings:</p> <p>Review of the facility policy titled Personal Property: Patient's revised on 8/15/23 states that personnel will identify and record the patient/patient's belongings upon admission to a center Any loss or breakage of a patient's personal item will be documented on the property loss form be the person receiving the report, and then referred to the Administrator . Administrator or designee will investigate the lost item.</p> <p>On 12/16/24 at 11:06 a.m., during an interview with Resident #63, stated his/her glasses have been missing for several months.</p> <p>Review of quarterly Minimum Data Set (MDS) dated [DATE] revealed Resident #63 had a Brief Interview for Mental Status (BIMS) of 15 of 15, indicating he/she s cognitively intact.</p> <p>Reviwe of quarterly Minimum Data Set (MDS) dated [DATE], Section B1200 was checked yes, that Resident #63 wears glasses.</p> <p>Review of nursing documentation on 4/7/23 shows Resident #63 wears glasses.</p> <p>Review of care plan meeting notes, dated 6/18/24, shows that Resident #63 enjoys watching T.V.</p> <p>On 12/17/24 at 2:00 p.m., during an interview Resident 63 states that she is unable to see the T.V. without his/her glasses.</p> <p>On 12/17/24 at 2:10 p.m., during an interview with CNA #2, who stated that she saw Resident #63 wearing glasses a few months ago.</p> <p>On 12/17/24 at 2:20 p.m., during an interview with the Registered Nurse Manager of the second floor, stated that when residents are admitted to the facility an inventory sheet has to be completed. She also discusses that if a resident advises staff of a missing item an incident report is to be filled out.</p> <p>On 12/17/24 at 2:13 p.m., during an interview with the Director of Nursing, it was confirmed that no inventory sheet , incident report was filled out for Resident #63. In addition, the facility did not assist Resident #63 with obtaining new glassess after they were lost.</p>		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 205072	(X2) MULTIPLE CONSTRUCTION A. Building B. Wing	(X3) DATE SURVEY COMPLETED 12/19/2024
NAME OF PROVIDER OR SUPPLIER Marshwood Center		STREET ADDRESS, CITY, STATE, ZIP CODE 33 Roger Street Lewiston, ME 04240	
For information on the nursing home's plan to correct this deficiency, please contact the nursing home or the state survey agency.			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (Each deficiency must be preceded by full regulatory or LSC identifying information)		
<p>F 0688</p> <p>Level of Harm - Minimal harm or potential for actual harm</p> <p>Residents Affected - Few</p>	<p>Provide appropriate care for a resident to maintain and/or improve range of motion (ROM), limited ROM and/or mobility, unless a decline is for a medical reason.</p> <p>Based on Interviews and record reviews, the facility failed to prevent a decrease in the Range of Motion (ROM) and/or mobility for 2 of 11 residents screened for maintenance of physical abilities following discharge from physical/occupational therapies. (Resident #45 and Resident #500)</p> <p>Findings:</p> <p>1. On 12/18/24 at 10:13 a.m. a surveyor reviewed a binder provided by therapy services with Restorative Nursing Program Goals Sheets for residents discharged from Physical and/or Occupational therapy. This binder contains the after therapy plans recommended to maintain the physical abilities the resident achieved during therapy.</p> <p>A surveyor located a plan for Resident #500 in this binder, dated 7/9/24, that stated: Ambulate with walker, gait belt and wheelchair follow 1-2 times a day as patient allows. Have patient do lower extremity home exercise program once a day as patient allows (program in patient room).</p> <p>Record review of Resident #500's care plan failed to find the above program as an intervention.</p> <p>Facility was unable to provide any documentation that the above program was followed or the reason for not following.</p> <p>Record review of Electronic Medical Record (EMR) indicated that Resident #500 experienced falls on 8/28/24 and 9/2/24 and was once again referred to Physical therapy on 9/3/24.</p> <p>2. On 12/18/24 at 10:30 a.m., a surveyor interviewed Resident #45 and learned she/he does not get to walk every day or perform exercises since ending therapy last summer. I'm noticing that I'm more weaker.</p> <p>Resident #45 Restorative plan dated 6/5/24 states Ambulate with CNAs or Restorative CNA daily with walker and gait belt. Encourage patient to perform lower extremity home exercise program</p> <p>Record review of Resident #45 care plan failed to show the restorative plan as an intervention.</p> <p>Facility was unable to provide documentation that the above program was followed or the reason for not following.</p> <p>On 12/18/24 at 10:39 a.m., a surveyor interviewed Certified Nursing Assistant (CNA) #4 and learned that while she/he was trained to be a restorative aide (RA) in addition to a CNA, it was rare she/he was able to perform the RA role. I usually have a CNA assignment and can't do the restorative plans. Confirmed that therapy went over the restorative plans with him/her as shown by his/her signature on the plans.</p> <p>On 12/18/24 at 11:48 a.m., a surveyor interviewed CNA#3 and learned she/he does not have time to assist residents with exercise programs or range of motion beyond getting dressed and undressed. She/he was unaware of any exercise programs for residents. Residents are lucky to get a walk to the bathroom in the morning. CNA#3 was working with Resident #45 today and was unaware of an exercise or ambulation plan.</p> <p>(continued on next page)</p>		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 205072	(X2) MULTIPLE CONSTRUCTION A. Building B. Wing	(X3) DATE SURVEY COMPLETED 12/19/2024
NAME OF PROVIDER OR SUPPLIER Marshwood Center		STREET ADDRESS, CITY, STATE, ZIP CODE 33 Roger Street Lewiston, ME 04240	

For information on the nursing home's plan to correct this deficiency, please contact the nursing home or the state survey agency.

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (Each deficiency must be preceded by full regulatory or LSC identifying information)
<p>F 0688</p> <p>Level of Harm - Minimal harm or potential for actual harm</p> <p>Residents Affected - Few</p>	<p>On 12/18/24 at 12:35 p.m., a surveyor interviewed a Unit Manager and learned the recommendations are not added to the care plan because there is no restorative nursing program due to lack of staffing. Confirmed that ambulation and range of motion were important nursing tasks to prevent falls, contractures, loss of range of motion, pressure ulcers, circulation and breathing difficulties.</p> <p>A surveyor reviewed the Facility Assessment for the facility and found under A.1. Function - Care Requirements Facility provides Mobility/fall prevention: Transfers, ambulation, restorative nursing, contracture prevention/care; supporting resident independence in doing as much of these activities by himself/herself.</p> <p>On 12/18/24 at 2:24 p.m. a surveyor reviewed the above with the Administrator.</p>

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 205072	(X2) MULTIPLE CONSTRUCTION A. Building B. Wing	(X3) DATE SURVEY COMPLETED 12/19/2024
NAME OF PROVIDER OR SUPPLIER Marshwood Center		STREET ADDRESS, CITY, STATE, ZIP CODE 33 Roger Street Lewiston, ME 04240	
For information on the nursing home's plan to correct this deficiency, please contact the nursing home or the state survey agency.			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (Each deficiency must be preceded by full regulatory or LSC identifying information)		
<p>F 0689</p> <p>Level of Harm - Minimal harm or potential for actual harm</p> <p>Residents Affected - Some</p>	<p>Ensure that a nursing home area is free from accident hazards and provides adequate supervision to prevent accidents.</p> <p>**NOTE- TERMS IN BRACKETS HAVE BEEN EDITED TO PROTECT CONFIDENTIALITY** Based on observations, interviews, and a review of Safety Data Sheets (SDS), the facility failed to ensure that the resident's environment was free of accident hazards relating to the storage of chemicals being properly secured for 3 of 3 observations for 2 of 4 days of survey (12/16/24 and 12/18/24).</p> <p>Findings:</p> <p>The Safety Data Sheet for Clorox Healthcare Bleach Germicidal Wipes noted the following: 4. First Aid Measures Eye contact: Rinse thoroughly with water as necessary. If symptoms persist, call a physician. Skin contact: Wash with soap and water. If skin irritation persist, call a physician. Inhalation: Remove to fresh air. If breathing is difficult, trained personnel should give oxygen. If symptoms persist, call a physician. Ingestion: Drink one to two glasses of water. Get medical attention if symptoms occur.</p> <p>The Safety Data Sheet for Pure Bright Germicidal Ultra Bleach noted the following: 4. First Aid Measures Eye contact: Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Skin contact: Wash skin with soap and water. If symptoms persist, call a physician. Inhalation: Remove to fresh air. Ingestion: Do not induce vomiting. Clean mouth with water and drink afterwards plenty of water. If symptoms persist, call a physician.</p> <p>1. On 12/16/24 at 10:25 a.m., a surveyor observed an unsecured 1 pound 10 ounce container of Bleach Germicidal Wipes stored on top of a soiled utility cart in the unlocked shower room.</p> <p>On 12/16/24 at 10:30 a.m., in an interview, [NAME], LPN #1 confirmed the finding and stated that there were confused and compromised residents that can move around the unit and access this room even in their wheelchairs.</p> <p>On 12/16/24 at 11:18 a.m., a surveyor discussed the finding with the Director of Nursing.</p> <p>2. On 12/16/24 at 11:59 a.m., a surveyor observed in the [NAME] unit the shower room, three(3) unsecured 1 pound 10 ounce containers of Bleach Germicidal Wipes in the unlocked shower room.</p> <p>On 12/16/24 at 12:02 p.m., in an interview, the Director of Nursing confirmed the chemicals were being stored in the unsecured and unlocked [NAME] shower room. She removed the chemicals and confirmed that there were confused and compromised residents that can move around the unit and access this room even in their wheelchairs.</p> <p>3. On 12/18/24 at 10:50 a.m., a surveyor observed in the [NAME] unit shower room a 12 ounce spray bottle marked Bleach and Water. The bottle had no labeling and the ratio of bleach to water was unknown.</p> <p>On 12/18/24 at 11:00 a.m., in an interview, the Administrator confirmed that the bleach/water spray bottle was not labeled appropriately and it should have been secured and stored behind a locked door. She additionally confirmed that the unit had residents that can get around and that are confused, have dementia and are compromised.</p>		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 205072	(X2) MULTIPLE CONSTRUCTION A. Building B. Wing	(X3) DATE SURVEY COMPLETED 12/19/2024
NAME OF PROVIDER OR SUPPLIER Marshwood Center		STREET ADDRESS, CITY, STATE, ZIP CODE 33 Roger Street Lewiston, ME 04240	

For information on the nursing home's plan to correct this deficiency, please contact the nursing home or the state survey agency.

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (Each deficiency must be preceded by full regulatory or LSC identifying information)
<p>F 0695</p> <p>Level of Harm - Minimal harm or potential for actual harm</p> <p>Residents Affected - Few</p>	<p>Provide safe and appropriate respiratory care for a resident when needed.</p> <p>Based on facility policy, observations, and interviews, the facility failed to maintain a sanitary environment to help prevent the development and transmission of disease and infection related to respiratory care for 2 of 2 residents reviewed for respiratory care (Resident 98 and 405).</p> <p>Findings:</p> <p>Review of facility procedure titled Oxygen: Nasal Cannula last revised on 8/7/23 states Date and store cannula in a treatment bag when not in use.</p> <p>On 12/16/24 at 1:09 p.m. and on 12/17/24 at 7:48 a.m., observation of Resident 98's nebulizer tubing stored on bedside table.</p> <p>On 12/16/24 at 2:36 p.m. and on 12/17/24 at 7:44 a.m., observation of Resident 405's oxygen tubing stored under the oxygen concentrator handle.</p> <p>12/17/24 3:42 p.m., during an interview with the Director of Nursing, the above information was confirmed.</p>

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 205072	(X2) MULTIPLE CONSTRUCTION A. Building B. Wing	(X3) DATE SURVEY COMPLETED 12/19/2024
NAME OF PROVIDER OR SUPPLIER Marshwood Center		STREET ADDRESS, CITY, STATE, ZIP CODE 33 Roger Street Lewiston, ME 04240	
For information on the nursing home's plan to correct this deficiency, please contact the nursing home or the state survey agency.			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (Each deficiency must be preceded by full regulatory or LSC identifying information)		
<p>F 0725</p> <p>Level of Harm - Minimal harm or potential for actual harm</p> <p>Residents Affected - Some</p>	<p>Provide enough nursing staff every day to meet the needs of every resident; and have a licensed nurse in charge on each shift.</p> <p>Based on record review and interviews, the facility failed to ensure sufficient direct care staff were scheduled and on duty to meet the needs of residents that reside in the facility. This has the potential to affect all residents needing assistance with Activities of Daily Living (ADL's).</p> <p>Findings:</p> <p>Review of Payroll Based Journal staffing report revealed the facility triggered for Excessively Low Weekend Staffing during the fourth quarter 4 (July 1, 2024 through September 30, 2024).</p> <p>On 12/19/24 at approx. 11:00 a.m., review of weekend staffing from July 1, 2024 through September 30, 2024, both the Director of Nursing and the Scheduler/Payroll/Human Resource personal confirmed the facility did not have enough staff to meet resident needs on the weekends.</p>		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 205072	(X2) MULTIPLE CONSTRUCTION A. Building B. Wing	(X3) DATE SURVEY COMPLETED 12/19/2024
NAME OF PROVIDER OR SUPPLIER Marshwood Center		STREET ADDRESS, CITY, STATE, ZIP CODE 33 Roger Street Lewiston, ME 04240	
For information on the nursing home's plan to correct this deficiency, please contact the nursing home or the state survey agency.			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (Each deficiency must be preceded by full regulatory or LSC identifying information)		
<p>F 0726</p> <p>Level of Harm - Minimal harm or potential for actual harm</p> <p>Residents Affected - Some</p>	<p>Ensure that nurses and nurse aides have the appropriate competencies to care for every resident in a way that maximizes each resident's well being.</p> <p>**NOTE- TERMS IN BRACKETS HAVE BEEN EDITED TO PROTECT CONFIDENTIALITY** Based on interviews and record reviews, the facility failed to ensure that 8 out of 25 licensed staff had current certification in Healthcare Basic Life Support (BLS) as required by facility. Licensed Practical Nurse (LPN) #2, Registered Nurse (RN) #2, RN#3, RN#4, RN#5, RN#6, RN #7 and RN#8.</p> <p>Findings:</p> <p>A surveyor reviewed the Job Descriptions for Registered Nurses and Licensed Practical Nurses at the facility and found under Specific Educational/Vocational Requirements: Maintains current BLS/CPR certification</p> <p>A surveyor reviewed the documentation provided by the facility for the 25 licensed staff currently employed and found 8 staff without documentation of a current BLS/CPR certification. LPN #2, RN #2, RN#3, RN#4, RN#5, RN #6, RN#7 and RN #8.</p> <p>On [DATE] at 1:13 p.m. a surveyor met with the Director of Nursing and discussed the above findings.</p>		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 205072	(X2) MULTIPLE CONSTRUCTION A. Building B. Wing	(X3) DATE SURVEY COMPLETED 12/19/2024
NAME OF PROVIDER OR SUPPLIER Marshwood Center		STREET ADDRESS, CITY, STATE, ZIP CODE 33 Roger Street Lewiston, ME 04240	

For information on the nursing home's plan to correct this deficiency, please contact the nursing home or the state survey agency.

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (Each deficiency must be preceded by full regulatory or LSC identifying information)
<p>F 0732</p> <p>Level of Harm - Potential for minimal harm</p> <p>Residents Affected - Some</p>	<p>Post nurse staffing information every day.</p> <p>Based on observation, record review and interview, the facility failed to post nurse staffing information on a daily basis including: the resident census per shift for 3 of 4 survey days. In addition, the facility failed to maintain records of the posted daily nurse staffing data for a minimum of 18 months.</p> <p>Findings:</p> <p>On 12/16/24, 12/17/24 and 12/18/24, a surveyor observed the nurse staffing information posted in the main entrance, the posting lacked the resident census.</p> <p>On 12/18/24 at 7:58 a.m., during an interview, the Scheduler/Payroll/HR personal, confirmed the lack of the resident census on the posted nurse staffing. During this interview, she confirmed the facility does not maintaining records of the daily posted staffing sheets and was unaware that she needed to keep them for minimum of 18 months.</p> <p>On 12/18/24 at 8:10 a.m., the above was confirmed with the Registered Nurse Market Clinical Advisor.</p>

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 205072	(X2) MULTIPLE CONSTRUCTION A. Building B. Wing	(X3) DATE SURVEY COMPLETED 12/19/2024
NAME OF PROVIDER OR SUPPLIER Marshwood Center		STREET ADDRESS, CITY, STATE, ZIP CODE 33 Roger Street Lewiston, ME 04240	
For information on the nursing home's plan to correct this deficiency, please contact the nursing home or the state survey agency.			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (Each deficiency must be preceded by full regulatory or LSC identifying information)		
<p>F 0812</p> <p>Level of Harm - Minimal harm or potential for actual harm</p> <p>Residents Affected - Some</p>	<p>Procure food from sources approved or considered satisfactory and store, prepare, distribute and serve food in accordance with professional standards.</p> <p>Based on observations and interview, the facility failed to ensure the kitchen was maintained in a clean and sanitary manner for the floor, the walk-in freezer, a sink, a food mixer, ceiling tiles, a food disposal unit, a blender and a convection oven; failed to ensure food in the dry storage room was closed and secured shut; and failed to ensure that the kitchen ice machine was plumbed in accordance with code requirements to prevent food contamination for 1 of 1 kitchen tour for 1 of 1 day of survey (12/16/24).</p> <p>Findings:</p> <p>This direct connection of waste water and potable water was in violation of the 10-114 State of Maine Rules Chapter 226, definition Section A, which defines an Air-Gap Separation - A physical separation between the free-flowing discharge end of a potable water supply pipeline and an open or non-pressure receiving vessel. An air-gap separation shall be at least twice the diameter of the supply pipe measured vertically above the overflow rim of the vessel - in no case less than one inch (2.54 cm) and the Code of Federal Regulation, Title 21, Part 1250, Section 1250, 30 (d) states all plumbing shall be so designed, installed, and maintained as to prevent contamination of the water supply, food, and food utensils.</p> <p>On 12/16/24 from 9:10 a.m. to 9:45 a.m., 2 Surveyors did an Initial Kitchen Tour with the Food Service Director, the Director of Operations, and the District Manager in which the following findings were observed: - There was food, paper/ plastic trash on the entire floor and under the equipment and shelving. - The dish room spray sink was leaking liquid into a bucket sitting under the corner of the sink. - The food mixer had chipped/missing paint on the mix arm and base. - There were 5 ceiling tiles, above a food preparation area, that had dried liquid spatter on them. - There was a broken ceiling tile next to the ceiling air conditioner near the walk-in freezer. - The food disposal unit outside surface was covered with dried food particles and dried liquid residue. - The blender had dried food particles and dried liquid residue on the outside surface of the unit. - The convection oven had dried food particles and dried liquid residue on the outside surface of the unit. - The dry storage room had a 50 pound bag of previously open sugar, which was not secured shut and was sitting in an opened bin. - The walk-in freezer had a large box of sandwich buns that had a large ice build-up on the opened box. - The ice machine was not plumbed in accordance with code requirements to prevent food contamination.</p> <p>On 12/16/24 at 9:45 a.m., in an interview with 2 surveyors, the Food Service Director, the Director of Operations, the District Manager confirmed the findings.</p>		

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 205072	(X2) MULTIPLE CONSTRUCTION A. Building B. Wing	(X3) DATE SURVEY COMPLETED 12/19/2024
NAME OF PROVIDER OR SUPPLIER Marshwood Center		STREET ADDRESS, CITY, STATE, ZIP CODE 33 Roger Street Lewiston, ME 04240	

For information on the nursing home's plan to correct this deficiency, please contact the nursing home or the state survey agency.

(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (Each deficiency must be preceded by full regulatory or LSC identifying information)
<p>F 0868</p> <p>Level of Harm - Minimal harm or potential for actual harm</p> <p>Residents Affected - Few</p>	<p>Have the Quality Assessment and Assurance group have the required members and meet at least quarterly</p> <p>Based on review of the Quality Assessment and Assurance (QAA) attendance sheets and interview, the facility failed to ensure that an Infection Preventionist attended 2 of 4 quarterly QAA meetings.</p> <p>Finding:</p> <p>A review of the quarterly QAA meeting attendance sheets indicated that an Infection Preventionist did not attend the 7/25/24 and 10/31/24 quarterly QAA meetings.</p> <p>On 12/18/24 at approximately 9:00 a.m., in an interview with the surveyor, the Administrator stated, she does not know why the Infection Preventionist (I/P) was not at the July meeting, but she left the facility in mid-October, so she was not at the October meeting. Since that time there has not been anyone in that role. A new I/P has been hired. She was just here on Monday to finalize her position.</p> <p>The above was confirmed with the Marketing Clinical Advisor on 12/18/24 at 2:00p.m.</p>