

MSDH - Health Facilities Licensure and Certification

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 25AH	(X2) MULTIPLE CONSTRUCTION A. BUILDING: _____ B. WING: _____	(X3) DATE SURVEY COMPLETED R 09/12/2023
NAME OF PROVIDER OR SUPPLIER EDGEWOOD HEALTH & REHABILITATION		STREET ADDRESS, CITY, STATE, ZIP CODE 205 BYRAM PARKWAY BYRAM, MS 39272		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
{M 000}	Initial Comments The State Agency (SA) conducted a follow-up revisit at the facility on 9/12/23 related to an annual recertification survey that was conducted 7/24/23 through 7/27/23. The SA determined the facility was in compliance with the Minimum Standards for Institutions for the Aged or Infirm, state licensure requirement and recommends the facility be placed back in compliance effective 9/8/23.	{M 000}		

Mississippi State Department of Health

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE