

DEPARTMENT OF HEALTH AND HUMAN SERVICES  
 CENTERS FOR MEDICARE & MEDICAID SERVICES

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____  B. WING _____	(X3) DATE SURVEY COMPLETED  08/19/2025
NAME OF PROVIDER OR SUPPLIER  AT ROYAL VILLA HOME CARE		STREET ADDRESS, CITY, STATE, ZIP CODE  2970 S TORREY PINES DR, LAS VEGAS, NEVADA ,89146		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE
0000	Initial Comments  Inspector Comments: This Statement of Deficiencies was generated as a result of a complaint investigation completed in your facility on 08/19/25, in accordance with Nevada Administrative Code (NAC), Chapter 449, Residential Facility for Groups. The census at the time of the survey was eight. The sample size was one. One resident file and zero employee files were reviewed. The facility received a grade of A. There was one complaint investigated. Substantiated without deficient practice: 1. Complaint # NV00074834 was substantiated with no deficient practice. No regulatory deficiencies could be identified. The investigation of the complaint included: Observations of the ambient temperature in all of the rooms, grooming and physical appearance of residents, and observations of the pet dogs in the facility. Interviews were conducted with residents, caregiver staff, and the Administrator. Clinical Record Review of one record. No document review was conducted for this allegation. The findings and conclusions of any investigation by the Division of Public and Behavioral Health shall not be construed as prohibiting any criminal or civil investigation, actions or other claims for relief that may be available to any party under applicable federal, state, or local laws. There were no regulatory deficiencies identified. No further action is necessary. Please retain a copy for your records.	0000		

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER  
REPRESENTATIVE'S SIGNATURE

Name:

Title:

Date:

Any deficiency statement ending with an asterisk (\*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.