

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY - PUBLIC

July 14, 2025

[REDACTED] ADMINISTRATOR
KENDAL-CROSSLANDS COMMUNITIES, INC.
[REDACTED]

RE: CROSSLANDS
1660 EAST STREET ROAD
KENNETT SQUARE, PA, 19348
LICENSE/COC#: 10098

Dear [REDACTED]

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 06/30/2025 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,
[REDACTED]

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: *CROSSLANDS* License #: *10098* License Expiration: *08/28/2025*
Address: *1660 EAST STREET ROAD, KENNETT SQUARE, PA 19348*
County: *CHESTER* Region: *SOUTHEAST*

Administrator

Name: [REDACTED] Phone: [REDACTED] Email: [REDACTED]

Legal Entity

Name: *KENDAL-CROSSLANDS COMMUNITIES, INC.*
Address: [REDACTED]
Phone: [REDACTED] Email: [REDACTED]

Certificate(s) of Occupancy

Type: *Other* Date: *01/19/1978* Issued By: *CWOPA L&I*

Staffing Hours

Resident Support Staff: *0* Total Daily Staff: *34* Waking Staff: *26*

Inspection Information

Type: *Full* Notice: *Unannounced* BHA Docket #:
Reason: *Renewal* Exit Conference Date: *06/30/2025*

Inspection Dates and Department Representative

06/30/2025 - On-Site: [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information

License Capacity: *51* Residents Served: *34*

Secured Dementia Care Unit

In Home: *No* Area: Capacity: Residents Served:

Hospice

Current Residents: *0*

Number of Residents Who:

Receive Supplemental Security Income: *0* Are 60 Years of Age or Older: *34*
Diagnosed with Mental Illness: *0* Diagnosed with Intellectual Disability: *0*
Have Mobility Need: *0* Have Physical Disability: *0*

Inspections / Reviews

06/30/2025 - Full

Lead Inspector: [REDACTED] Follow-Up Type: *Not Required*

NO DEFICIENCIES FOUND