

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY - PUBLIC

November 14, 2025

[REDACTED]
FOULKEWAYS AT GWYNEDD
[REDACTED]
[REDACTED]

RE: FOULKEWAYS AT GWYNEDD
1120 MEETING HOUSE ROAD
GWYNEDD, PA, 19436
LICENSE/COC#: 12774

[REDACTED]

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 10/30/2025 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,
[REDACTED]

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: FOULKEWAYS AT GWYNEDD **License #:** 12774 **License Expiration:** 08/27/2026
Address: 1120 MEETING HOUSE ROAD, GWYNEDD, PA 19436
County: MONTGOMERY **Region:** SOUTHEAST

Administrator

Name: [REDACTED] **Phone:** [REDACTED] **Email:** [REDACTED]

Legal Entity

Name: FOULKEWAYS AT GWYNEDD
Address: [REDACTED]
Phone: [REDACTED] **Email:** [REDACTED]

Certificate(s) of Occupancy

Type: C-2 LP **Date:** 06/14/2004 **Issued By:** Copa L&I

Staffing Hours

Resident Support Staff: 0 **Total Daily Staff:** 82 **Waking Staff:** 62

Inspection Information

Type: Partial **Notice:** Unannounced **BHA Docket #:**
Reason: Complaint **Exit Conference Date:** 10/30/2025

Inspection Dates and Department Representative

10/30/2025 - On-Site: [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information
License Capacity: 112 **Residents Served:** 76
Secured Dementia Care Unit
In Home: No **Area:** **Capacity:** **Residents Served:**
Hospice
Current Residents: 0
Number of Residents Who:
Receive Supplemental Security Income: 0 **Are 60 Years of Age or Older:** 76
Diagnosed with Mental Illness: 0 **Diagnosed with Intellectual Disability:** 0
Have Mobility Need: 6 **Have Physical Disability:** 1

Inspections / Reviews

10/30/2025 Partial
Lead Inspector: [REDACTED] **Follow-Up Type:** Not Required

NO DEFICIENCIES FOUND