

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY PUBLIC

April 7, 2025

[REDACTED]
ALEXANDRIA MANOR OF ALLENTOWN, INC.
[REDACTED]

RE: ALEXANDRIA MANOR OF
ALLENTOWN - BETHLEHEM
CAMPUS
3534 LINDEN STREET
BETHLEHEM, PA, 18017
LICENSE/COC#: 21456

[REDACTED]

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 03/20/2025, 03/25/2025 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,

[REDACTED]

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: ALEXANDRIA MANOR OF ALLENTOWN - BETHLEHEM CAMPUS License #: 21456 License Expiration: 09/29/2025

Address: 3534 LINDEN STREET, BETHLEHEM, PA 18017

County: NORTHAMPTON

Region: NORTHEAST

Administrator

Name: [REDACTED]

Phone: [REDACTED]

Email: [REDACTED]

Legal Entity

Name: ALEXANDRIA MANOR OF ALLENTOWN, INC.

Address: [REDACTED]

Phone: [REDACTED]

Email: [REDACTED]

Certificate(s) of Occupancy

Type: C-2 LP

Date: 04/04/2006

Issued By: L&I

Staffing Hours

Resident Support Staff: 0

Total Daily Staff: 50

Waking Staff: 38

Inspection Information

Type: Partial

Notice: Unannounced

BHA Docket #:

Reason: Complaint

Exit Conference Date: 03/25/2025

Inspection Dates and Department Representative

03/20/2025 - On-Site: [REDACTED]

03/25/2025 - Off-Site: [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information

License Capacity: 58

Residents Served: 46

Secured Dementia Care Unit

In Home: No

Area:

Capacity:

Residents Served:

Hospice

Current Residents: 1

Number of Residents Who:

Receive Supplemental Security Income: 0

Are 60 Years of Age or Older: 38

Diagnosed with Mental Illness: 4

Diagnosed with Intellectual Disability: 0

Have Mobility Need: 4

Have Physical Disability: 2

Inspections / Reviews

03/20/2025 Partial

Lead Inspector: [REDACTED]

Follow-Up Type: Not Required

NO DEFICIENCIES FOUND