

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY - PUBLIC

August 20, 2026

[REDACTED]
ALEXANDRIA MANOR OF ALLENTOWN INC
[REDACTED]

RE: ALEXANDRIA MANOR OF
ALLENTOWN - BETHLEHEM
CAMPUS
3534 LINDEN STREET
BETHLEHEM, PA, 18017
LICENSE/COC#: 21456

[REDACTED],

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing
licensing inspections on 08/04/2026 of the above facility, no regulatory citations have been identified
as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a
conspicuous location.

Sincerely,

[REDACTED]
Human Services Licensing Supervisor

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: ALEXANDRIA MANOR OF ALLENTOWN - BETHLEHEM CAMPUS **License #:** 21456 **License Expiration:** 06/12/2026

Address: 3534 LINDEN STREET, BETHLEHEM, PA 18017

County: NORTHAMPTON

Region: NORTHEAST

Administrator

Name: [REDACTED]

Phone: [REDACTED]

Email: [REDACTED]

Legal Entity

Name: ALEXANDRIA MANOR OF ALLENTOWN INC

Address: [REDACTED]

Phone: [REDACTED]

Email: [REDACTED]

Certificate(s) of Occupancy

Type: C-2 LP

Date: 04/04/2006

Issued By: L & I

Staffing Hours

Resident Support Staff: 0

Total Daily Staff: 41

Waking Staff: 31

Inspection Information

Type: Partial

Notice: Unannounced

BHA Docket #:

Reason: Incident

Exit Conference Date: 08/04/2026

Inspection Dates and Department Representative

08/04/2026 - On-Site: [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information

License Capacity: 58

Residents Served: 40

Secured Dementia Care Unit

In Home: No

Area:

Capacity:

Residents Served:

Hospice

Current Residents: 1

Number of Residents Who:

Receive Supplemental Security Income: 0

Are 60 Years of Age or Older: 40

Diagnosed with Mental Illness: 0

Diagnosed with Intellectual Disability: 0

Have Mobility Need: 1

Have Physical Disability: 1

Inspections / Reviews

08/04/2026 Partial

Lead Inspector: [REDACTED]

Follow-Up Type: Not Required

NO DEFICIENCIES FOUND