

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY PUBLIC

July 24, 2025

[REDACTED]
LUTHERAN SENIOR SERVICES EAST
[REDACTED]

RE: LUTHER CREST RETIREMENT
COMMUNITY
800 HAUSMAN ROAD
ALLENTOWN, PA, 18104
LICENSE/COC#: 21629

[REDACTED],
As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 07/16/2025 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,
[REDACTED]

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: LUTHER CREST RETIREMENT COMMUNITY **License #:** 21629 **License Expiration:** 07/30/2026
Address: 800 HAUSMAN ROAD, ALLENTOWN, PA 18104
County: LEHIGH **Region:** NORTHEAST

Administrator

Name: [REDACTED] **Phone:** [REDACTED] **Email:** [REDACTED]

Legal Entity

Name: LUTHERAN SENIOR SERVICES EAST
Address: [REDACTED]
Phone: [REDACTED] **Email:** [REDACTED]

Certificate(s) of Occupancy

Type: I-1 **Date:** 11/18/2013 **Issued By:** Whitehall Twp

Staffing Hours

Resident Support Staff: 0 **Total Daily Staff:** 37 **Waking Staff:** 28

Inspection Information

Type: Partial **Notice:** Unannounced **BHA Docket #:**
Reason: Incident **Exit Conference Date:** 07/16/2025

Inspection Dates and Department Representative

07/16/2025 - On-Site: [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information			
License Capacity: 71	Residents Served: 25		
Secured Dementia Care Unit			
In Home: Yes	Area: n/a	Capacity: 13	Residents Served: 11
Hospice			
Current Residents: 0			
Number of Residents Who:			
Receive Supplemental Security Income: 0	Are 60 Years of Age or Older: 25		
Diagnosed with Mental Illness: 0	Diagnosed with Intellectual Disability: 0		
Have Mobility Need: 12	Have Physical Disability: 0		

Inspections / Reviews

07/16/2025 Partial
Lead Inspector: [REDACTED] **Follow-Up Type:** Not Required

NO DEFICIENCIES FOUND