

Department of Human Services  
Bureau of Human Service Licensing  
LICENSING INSPECTION SUMMARY - PUBLIC

October 15, 2025

[REDACTED]  
REFORMED PRESBYTERIAN WOMEN'S ASSOCIATION  
[REDACTED]

RE: REFORMED PRESBYTERIAN HOME  
2344 PERRYVILLE AVENUE  
PITTSBURGH, PA, 15214  
LICENSE/COC#: 42966

[REDACTED],  
As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 10/14/2025 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,  
[REDACTED]

Enclosure  
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: REFORMED PRESBYTERIAN HOME License #: 42966 License Expiration: 07/08/2026
Address: 2344 PERRYVILLE AVENUE, PITTSBURGH, PA 15214
County: ALLEGHENY Region: WESTERN

Administrator

Name: [Redacted] Phone: [Redacted] Email: [Redacted]

Legal Entity

Name: REFORMED PRESBYTERIAN WOMEN'S ASSOCIATION
Address: [Redacted]
Phone: [Redacted] Email: [Redacted]

Certificate(s) of Occupancy

Type: C-2 LP Date: 10/10/1983 Issued By: PA Dept L&I

Staffing Hours

Resident Support Staff: 0 Total Daily Staff: 29 Waking Staff: 22

Inspection Information

Type: Partial Notice: Unannounced BHA Docket #:
Reason: Complaint Exit Conference Date: 10/14/2025

Inspection Dates and Department Representative

10/14/2025 - On-Site: [Redacted]

Resident Demographic Data as of Inspection Dates

Table with 4 columns: Category, Value, Category, Value. Includes rows for General Information (License Capacity: 56, Residents Served: 24), Secured Dementia Care Unit (In Home: No, Area, Capacity, Residents Served), Hospice (Current Residents: 2), and Number of Residents Who (Receive Supplemental Security Income: 4, Are 60 Years of Age or Older: 23, Diagnosed with Mental Illness: 2, Diagnosed with Intellectual Disability: 1, Have Mobility Need: 5, Have Physical Disability: 0).

Inspections / Reviews

10/14/2025 Partial
Lead Inspector: [Redacted] Follow-Up Type: Not Required

NO DEFICIENCIES FOUND