

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY - PUBLIC

November 12, 2025

[REDACTED]
PARAMOUNT SENIOR LIVING AT BETHEL PARK LLC
[REDACTED]

RE: PARAMOUNT SENIOR LIVING AT
BETHEL PARK
5785 BAPTIST ROAD
BETHEL PARK, PA, 15102
LICENSE/COC#: 44088

[REDACTED],
As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 10/27/2025 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,
[REDACTED]

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: PARAMOUNT SENIOR LIVING AT BETHEL PARK License #: 44088 License Expiration: 07/13/2026
Address: 5785 BAPTIST ROAD, BETHEL PARK, PA 15102
County: ALLEGHENY Region: WESTERN

Administrator

Name: [REDACTED] Phone: [REDACTED] Email: [REDACTED]

Legal Entity

Name: PARAMOUNT SENIOR LIVING AT BETHEL PARK LLC
Address: [REDACTED]
Phone: [REDACTED] Email: [REDACTED]

Certificate(s) of Occupancy

Staffing Hours

Resident Support Staff: 0 Total Daily Staff: 150 Waking Staff: 113

Inspection Information

Type: Partial Notice: Unannounced BHA Docket #:
Reason: Complaint Exit Conference Date: 10/27/2025

Inspection Dates and Department Representative

10/27/2025 - On-Site: [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information			
License Capacity: 125	Residents Served: 98		
Secured Dementia Care Unit			
In Home: Yes	Area: 3rd FL North	Capacity: 28	Residents Served: 16
Hospice			
Current Residents: 10			
Number of Residents Who:			
Receive Supplemental Security Income: 0	Are 60 Years of Age or Older: 98		
Diagnosed with Mental Illness: 0	Diagnosed with Intellectual Disability: 0		
Have Mobility Need: 52	Have Physical Disability: 0		

Inspections / Reviews

10/27/2025 Partial
Lead Inspector: [REDACTED] Follow-Up Type: Not Required

NO DEFICIENCIES FOUND