



[ABUSE & NEGLECT](#)

[ASSISTANCE](#)

[CHILD SUPPORT](#)

[COMMUNITY SUPPORT](#)

[FOSTER CARE & ADOPTION](#)

[LICENSING](#)

Search for an Assisted Living Facility



[|Return to Search Results](#) | [New Search](#) |

The Chesterfield at Brandermill Woods

2100 Brandermill Parkway
Midlothian, VA 23112
(804) 379-7100

Current Inspector: Kimberly Davis (804) 356-3572

Inspection Date: Oct. 5, 2021 , Oct. 7, 2021 and Oct. 8, 2021

Complaint Related: No

Areas Reviewed:

22VAC40-73 GENERAL PROVISIONS
22VAC40-73 ADMINISTRATION AND ADMINISTRATIVE SERVICES
22VAC40-73 PERSONNEL
22VAC40-73 STAFFING AND SUPERVISION
22VAC40-73 ADMISSION, RETENTION, AND DISCHARGE OF RESIDENTS
22VAC40-73 RESIDENT CARE AND RELATED SERVICES
22VAC40-73 RESIDENT ACCOMODATIONS AND RELATED PROVISIONS
22VAC40-73 BUILDING AND GROUNDS
22VAC40-73 EMERGENCY PREPAREDNESS
32.1 Reported by persons other than physicians
63.2 General Provisions.
63.2 Protection of adults and reporting.
63.2 Licensure and Registration Procedures
63.2 Facilities and Programs..
22VAC40-90 Background Checks for Assisted Living Facilities
22VAC40-90 The Sworn Statement or Affirmation
22VAC40-90 The Criminal History Record Report
22VAC40-80 THE LICENSE.
22VAC40-80 THE LICENSING PROCESS.

Comments:

A monitoring inspection was initiated on October 5, 2021 and concluded on October 8, 2021. The administrator was contacted by telephone to initiate the inspection. The administrator reported that the current census was 56. The inspector emailed the administrator a list of items required to complete the remote documentation review portion of the inspection. The inspector reviewed 4 resident records, 4 staff records, physician's orders, Medication Administration Records ([MARs](#)), and other facility documentation submitted by the facility to ensure documentation was complete. The inspector conducted the on-site portion of the inspection on October 8, 2021, which included a tour of the facility and the observance of resident rooms, facility postings, building and grounds, emergency food/water, and the medication cart. An exit interview was conducted with the Administrator on the date of inspection, where findings were reviewed and an opportunity was given for questions, as well as for providing any information or documentation which was not available during the inspection. Information gathered during the inspection determined non-compliance(s) with applicable standards or law, and violations were documented on the violation notice issued to the facility. Please complete the "plan of correction" and "date to be corrected" for each violation cited on the violation notice and return it to the licensing office within 10 calendar days. Please specify how the violation will be corrected. The plan must contain: 1) step(s) to correct the non-compliance with the standard(s), 2) measures to prevent the non-compliance from occurring again; and 3) person(s) responsible for implementing each step and/or monitoring any preventative measure(s). Thank you for your cooperation during this inspection. I can be reached at Kimberly.M.Davis@dss.virginia.gov or (804) 662-7578.

Violations:

Standard #: 22VAC40-73-260-C
Description: Based on observation of facility postings, the facility failed to post a listing of all staff who have current certification in first aid or CPR so that the information is readily available to all staff at all times.
Evidence: The facility did not have a list posted of staff certified in first aid/CPR.

[Plan of Correction:](#) A list of all staff who have current certification in first aid/CPR was posted while inspector was on site on 10-8-2021 so that information is readily available to all staff at all times.

Disclaimer:

This information is provided by the Virginia Department of Social Services, which neither endorses any facility nor guarantees that the information is complete. It should not be used as the sole source in evaluating and/or selecting a facility.

[Expenses](#)

[CommonHelp](#)

[Mission & Strategic Plan](#)

[TTY/TTD](#)

[Org Chart](#)

[Civil Rights Policy & Procedures](#)

[Contact Us](#)