



Search for an Assisted Living Facility



|[Return to Search Results](#) | [New Search](#) |

Sunrise of McLean Village

1515 Chain Bridge Road
Mc lean, VA 22101
(703) 245-9270

Current Inspector: Amanda Velasco (703) 397-4587

Inspection Date: April 19, 2023

Complaint Related: No

Areas Reviewed:

22VAC40-73 GENERAL PROVISIONS
22VAC40-73 ADMINISTRATION AND ADMINISTRATIVE SERVICES
22VAC40-73 PERSONNEL
22VAC40-73 RESIDENT ACCOMODATIONS AND RELATED PROVISIONS
22VAC40-73 BUILDING AND GROUNDS
22VAC40-73 EMERGENCY PREPAREDNESS
22VAC40-73 ADDITIONAL REQUIREMENTS FOR FACILITIES THAT CARE FOR ADULTS WITH SERIOUS COGNITIVE IMPAIRMENTS

Article 1
Subjectivity
32.1 Reported by persons other than physicians
63.2 General Provisions.
63.2 Protection of adults and reporting.
63.2 Licensure and Registration Procedures
63.2 Facilities and Programs..
22VAC40-90 Background Checks for Assisted Living Facilities
22VAC40-90 The Sworn Statement or Affirmation
22VAC40-90 The Criminal History Record Report
22VAC40-80 THE LICENSE.
22VAC40-80 THE LICENSING PROCESS.
22VAC40-80 COMPLAINT INVESTIGATION.
22VAC40-80 SANCTIONS.

Technical Assistance:

Please update the posted resident rights to reflect the current Licensing Administrator ? Sharae Henderson, 804-629-3479

Comments:

Licensing Inspector (LI) conducted an announced initial inspection on 4/19/2023. LI walked the physical plant, verified window and room measurements, reviewed policies and procedures and staff background checks and tested the call bell system. The Building, Fire and Health Inspections have been submitted and reviewed. No violations cited today and exit interview held.

For more information about the VDSS Licensing Programs, please visit: www.dss.virginia.gov

Should you have any questions, please contact Lynette Storr, Licensing Inspector at (703) 479-4708 or by email at lynnette.storr@dss.virginia.gov

Disclaimer:

This information is provided by the Virginia Department of Social Services, which neither endorses any facility nor guarantees that the information is complete. It should not be used as the sole source in evaluating and/or selecting a facility.

